

SUPPLEMENT TO

The Gazette



of India

सत्यमेव जयते

No. 38 ] NEW DELHI, SATURDAY, SEPTEMBER 27, 1958/ASVINA 5, 1880

OFFICIAL PAPERS

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 30th August, 1958

CHOLERA								SMALLPOX								PLAGUE							
C.		D.		C.		D.		C.		D.		C.		D.		C.		D.					
Andhra Pradesh								Kerala															
"N.R."								Alleppey								I							
Assam								Trichur								18		13					
Kamrup	2		3					Malabar								19		4					
TOTAL	2		3					TOTAL								37		18					
Total for w/e 23-8-58			10	1				TOTAL for w/e 23-8-58								39		15					
Total for w/e 16-8-58			1					Total for w/e 16-8-58										5					
Bihar								Madhya Pradesh															
Patna								"N.R."															
Gaya								Madras															
Shahabad								Madras															
Saran								Madras															
Champaran								Madras															
Muzaffarpur								Madras															
Darbhanga								Madras															
Monghyr								Madras															
Bhagalpur								Madras															
Purnea								Madras															
Santal Parganas								Madras															
Hazaribagh								Madras															
Ranchi								Madras															
Palamau								Madras															
Dhanbad								Madras															
Singhbhum								Madras															
TOTAL								TOTAL								21		10		200		52	
Total for w/e 23-8-58								Total for w/e 23-8-58								1				262		64	
Total for w/e 16-8-58								Total for w/e 16-8-58												228		68	
Bombay								Manipur															
"N.R."								TOTAL															
Delhi								Total for w/e 23-8-58															
"N.R."								Total for w/e 16-8-58															
Himachal Pradesh								Mysore															
"N. R."								"N.R."															

Explanation of symbols used --C.=Cases; D.=Deaths; ..=Nil; "N.R."=Information not received.



Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 30th August, 1958--*contd.*

CHOLERA								CHOLERA							
SMALLPOX				PLAGUE				SMALLPOX				PLAGUE			
C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.
<b>Mysore</b>								<b>Rajasthan</b>							
<i>w/e 23-8-58</i>								<i>w/e 16-8-58</i>							
Bangalore	..	..	3	..	..	..	..	Sirohi	..	..	34	6	..	..	..
Chitaldurg	..	..	2	..	..	..	..	Tonk	..	..	1	..	..	..	..
Chikmagalur	..	..	2	..	..	..	..	TOTAL	..	..	35	6	..	..	..
Kolar	..	..	6	..	..	..	..	<b>Madhya Pradesh</b>							
Shimoga	21	7	2	1	..	..	..	<i>w/e 5-7-58</i>							
Belgaum	2	2	..	..	..	..	..	Balaghat	..	..	2	..	..	..	..
Bijapur	..	..	11	..	..	..	..	Seoni	..	..	13	2	..	..	..
Dharwar	..	..	2	..	..	..	..	Sagar	21	10	4	2	..	..	..
North Kanara	..	..	4	1	..	..	..	Damoh	..	..	15	..	..	..	..
Coorg (Mercara)	..	..	2	..	..	..	..	Indore	..	..	1	2	..	..	..
TOTAL	23	9	34	2	..	..	..	Bilaspur	..	..	132	13	..	..	..
<i>(Supplementary figures)</i>								Narsinghpur	..	..	13	..	..	..	..
<i>w/e 2-8-58</i>								Durg	484	247	..	..	..	..	..
Mysore	..	..	8	4	..	..	..	TOTAL	505	257	180	19	..	..	..
<i>w/e 16-8-58</i>								<b>Madhya Pradesh</b>							
Mysore	..	..	30	3	..	..	..	<i>w/e 12-7-58</i>							
<b>Bihar</b>								Durg	171	81	..	..	..	..	..
<i>(Supplementary figures)</i>								Sagar	41	10	..	..	..	..	..
<i>w/e 23-8-58</i>								Betul	5	3	7	..	..	..	..
Patna	14	..	8	4	..	..	..	Rewa	..	..	1	..	..	..	..
Saran	89	8	..	..	..	..	..	Damoh	..	..	12	1	..	..	..
Dhanbad	17	8	2	1	..	..	..	Mandla	..	..	7	..	..	..	..
Singhbham	3	..	..	..	..	..	..	Bilaspur	44	29	4	1	..	..	..
TOTAL	123	16	10	5	..	..	..	Hoshangabad	..	..	10	..	..	..	..
<b>Punjab</b>								Shahdol	69	27	..	..	..	..	..
<i>w/e 23-8-58</i>								Total	330	150	41	2	..	..	..
Ferozepur	..	..	1	..	..	..	..	<i>w/e 16-7-58</i>							
TOTAL	..	..	1	..	..	..	..	Sagar	73	27	..	..	..	..	..
<b>West Bengal</b>								Bilaspur	6	5	4	2	..	..	..
<i>w/e 23-8-58</i>								Durg	57	16	..	..	..	..	..
Burdwan	50	21	52	16	..	..	..	Raipur	24	5	..	..	..	..	..
Birbhum	9	8	7	4	..	..	..	Ratlam	..	..	9	3	..	..	..
Bankura	9	5	..	..	..	..	..	Mandla	..	..	5	3	..	..	..
Midnapur	..	..	2	2	..	..	..	Betul	..	..	12	3	..	..	..
Hooghly	4	..	7	7	..	..	..	Chhindwara	..	..	5	..	..	..	..
Howrah	20	7	7	4	..	..	..	Shahdol	36	11	..	..	..	..	..
24-Parganas	87	40	30	8	..	..	..	Seoni	..	..	10	1	..	..	..
Calcutta	43	27	1	1	..	..	..	TOTAL	196	64	45	12	..	..	..
West Dinajpur	..	..	2	..	..	..	..								
Malda	..	..	63	23	..	..	..								
Purulia	22	12	16	1	..	..	..								
TOTAL	244	120	187	66	..	..	..								

Explanation of symbols used:—C=Cases; D=Deaths; ..=Nil; "N.R."=Information not received.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 30th August, 1958—concl'd.

CHOLERA								SMALLPOX								PLAGUE															
C.				D.				C.				D.				C.				D.											
Madhya Pradesh—contd.																Madhya Pradesh—contd.															
w/e 9-8-58																w/e. 23-8-58															
Chhindwara	.	.	3	3	17	4	..	..	Balaghat	.	.	..	..	5	..	..	..														
Betul	.	.	15	4	..	..	..	..	Betul	.	.	32	13	13	1	..	..														
Bilaspur	.	.	27	24	12	1	..	..	Chindwara	.	.	..	..	11	4	..	..														
Mandla	.	.	34	21	4	..	..	..	Mandla	.	.	2	2	..	..	..	..														
Durg	.	.	73	26	..	..	..	..	Narsinghpur	.	.	..	..	1	..	..	..														
Narsinghpur	.	..	..	2	..	..	..	..	Raigarh	.	.	49	18	111	23	..	..														
Raigarh	.	.	9	4	..	..	..	..	Rewa	.	.	..	..	1	..	..	..														
Seoni	.	.	..	..	5	..	..	..	Shahdol	.	.	20	14	..	..	..	..														
Raisen	.	.	4	3	..	..	..	..	Seoni	.	.	..	..	4	..	..	..														
Raipur	.	.	23	12	..	..	..	..	Raisen	.	.	5	..	2	..	..	..														
Sagar	.	.	18	6	..	..	..	..	Bilaspur	.	.	2	5	8	4	..	..														
Balaghat	.	.	..	..	9	..	..	..	TOTAL	.	.	110	52	156	33	..	..														
Shahdol	.	.	6	1	..	..	..	..	Himachal Pradesh																						
TOTAL	.	.	212	104	49	5	..	..	w/e 16-8-1958																						
w/e 16-8-58																TOTAL															
Betul	.	.	16	10	..	..	..	..	w/e 23-8-1958																						
Bilaspur	.	.	37	8	..	..	..	..	TOTAL																						
Chindwara	.	.	..	..	20	3	..	..	Poliomyelitis																						
Durg	.	.	53	12	..	..	..	..	(Information based on patients treated in hospitals of important towns)																						
Raisen	.	.	11	4	..	..	..	..	Place	F/e or Month	Cases	Death																			
Raigarh	.	.	39	22	..	..	..	..	Punjab	31-7-58	19	(Paratic)																			
Surguja	.	.	20	11	..	..	..	..	Do	15-8-58	11	(Do)																			
Raipur	.	.	28	5	..	..	..	..	Do	31-8-58	19	(Do)																			
Seoni	.	.	..	..	2	..	..	..	West Bengal	May, 1958	73	(Do)																			
Mandla	.	.	5	2	3	..	..	..	Do	June, 1958	73	(Do)																			
Hoshangabad	.	..	..	3	..	..	..	..	Do	July, 1958	73	(Do)																			
Balaghat	.	.	..	..	6	..	..	..	REMARKS																						
Sagar	.	.	7	..	..	..	..	..	Cholera :—Epidemic conditions prevailed in the districts in Koraput and Kalahandi of Orissa State.																						
TOTAL	.	.	216	74	34	3	..	..	Heavy incidence of the disease was reported from the districts of Shahbad, Saran, Monghyr and Santal-Parganas of Bihar State.																						
Small-Pox.—Heavy incidence of the disease was reported from the districts of Puri and Bolangir-Patna of Orissa State. Heavy incidence was also reported from the City of Madras.																															

Explanation of symbols used:— C=Cases; D=Deaths; ..=Nil.

NEW DELHI-2 (INDIA);  
The 22nd September, 1958.]

H. R. SHARMA,  
for Registrar General, India.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 30th August, 1958

Towns	Mid-year Popn.-Est. (000)	Deaths from :—											D.R.*	I.D.
		B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total			
Andhra Pradesh							"N.R."							
Assam							"N.R."							
Bihar							"N.R."							
Bombay							"N.R."							
Delhi							"N.R."							
Kerala							"N.R."							
Madhya Pradesh							"N.R."							
Madras														
Ambur . . .	48	41	44.4	..	..	..	2	3	1	..	13	14.1	4	
Arrupukottai . .	62	53	44.5	..	..	..	1	2	2	..	10	8.4	4	
Bodinayakanur . .	43	24	29.0	..	..	..	1	1	..	..	5	6.0	..	
Chidambaram . .	43	47	56.8	..	..	..	..	2	2	..	11	13.3	2	
Coimbatore . . .	267	269	52.4	..	1	..	..	10	9	2	75	14.6	17	
Cuddalore . . .	76	67	45.8	..	..	..	3	..	3	1	26	17.8	3	
Dindigul . . .	100	84	43.7	..	..	..	1	2	..	..	16	8.8	2	
Erode . . .	77	75	50.6	..	..	..	1	2	6	..	24	16.2	8	
Gobichetipalayam .	48	13	14.1	..	..	..	..	..	..	..	6	6.5	1	
Gudiyattam . . .	58	59	52.9	..	..	..	..	5	4	..	15	13.4	4	
Kancheepuram . .	93	106	59.3	..	..	..	..	2	12	..	39	21.8	9	
Karaikudi . . .	47	23	25.4	..	..	..	3	..	..	..	7	7.7	1	
Karur . . .	57	26	23.7	..	..	..	1	..	1	..	10	9.1	..	
Kumbakonam . .	115	80	36.2	..	1	..	1	9	2	3	43	17.9	7	
Madras City . . .	2,011	1,689	43.7	2	19	..	55	107	163	6	692	17.9	217	
Madurai . . .	488	443	47.2	..	..	..	8	7	23	1	119	12.7	41	
Mayuram . . .	53	58	56.9	..	..	..	..	..	..	2	13	12.8	1	
Mallapalayam . .	43	14	16.9	..	..	..	1	..	2	..	8	9.7	2	
Nagapattinam . .	62	52	43.6	..	..	..	1	2	2	1	24	20.1	..	
Nagercoil . . .	109	36	17.2	..	..	..	..	2	1	..	17	8.1	3	
Ootacamund . . .	53	48	47.1	..	..	..	..	..	5	..	13	12.8	2	
Palni . . .	44	25	29.5	..	..	..	..	4	..	..	9	10.6	2	
Palayamkottai . .	48	70	75.8	..	1	..	..	3	1	1	18	19.5	6	
Periyakulam . . .	35	43	63.9	..	..	..	1	..	2	..	8	11.9	2	
Pollachi . . .	60	46	39.9	..	..	..	..	2	1	..	10	8.7	5	
Pudukottai . . .	54	45	43.3	..	..	..	..	..	..	..	15	14.4	4	
Rajapalayam . . .	74	51	35.8	..	..	..	2	..	2	..	9	6.3	..	
Salem . . .	279	150	28.0	..	1	..	4	6	11	1	62	11.6	7	
Srlangam . . .	46	16	18.1	..	..	..	1	1	4	1	18	20.3	4	
Srivilliputhur†														
Tanjore . . .	133	88	34.4	..	..	..	..	..	3	..	14	5.5	3	
Tiruchirappalli .	276	213	40.1	..	..	..	3	4	3	..	50	9.4	11	
Tirunelveli . . .	84	71	44.0	..	..	..	..	3	3	..	25	15.5	9	
Tiruppur . . .	73	74	52.7	..	..	..	..	4	..	1	13	9.3	4	
Tiruvannamalai .	47	35	38.7	..	..	..	..	..	..	..	7	7.7	..	
Tuticorin . . .	121	106	45.6	..	..	..	..	7	9	..	36	15.5	8	
Vaniyambadi . . .	45	28	32.4	..	..	..	1	2	2	..	9	10.4	4	
Vellore . . .	141	143	52.7	..	1	..	2	2	8	..	49	18.1	7	
Villapuram . . .	42	52	64.4	..	..	..	..	2	2	..	10	12.4	2	
Virudhunagar . .	57	36	17.2	..	..	..	..	2	1	..	17	8.1	3	
TOTAL . . .	5,612	4,607	42.7	2	24	..	94	198	296	21	1,562	14.5	408	

\*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B.—Births ; B.R. —Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fever ; D.D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile Deaths (included in total deaths) ; ..—Nil ; "N.R."—Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the w  
ending the 30th August, 1958—*contd.*

Town	Mid-year Popn-Rat. (000)	Deaths from —											D.R.*	I.D.
		B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total			
Mysore														
Bangalore . . .	1,246	463	19.3	..	1	..	13	56	39	..	274	11.4	3	
Mysore . . .	347	39	5.8	..	..	..	12	2	5	..	60	9.0	..	
Kolar Gold Fields . .	180	133	38.4	..	..	..	10	10	2	..	53	15.3	1	
Bellary . . .	83	52	32.6	..	..	..	..	8	2	..	28	17.5	4	
Davangere . . .	85	53	32.4	..	..	..	8	..	..	..	29	17.7	1	
Shimoga . . .	68	33	25.2	..	..	..	9	..	..	1	14	10.7	3	
Bhadravati†														
Hospet†														
Tumkur†														
Kolar†														
Chitaldrug	37	6	8.4	..	..	..	..	..	..	..	3	4.2		
Hassan†														
Bidar†														
Gulbarga†														
Raichur†														
Bijapur†														
Belgaum . . .	110	78	36.9	..	..	..	3	..	..	..	18	8.5	1	
Dharwar . . .	85	39	23.9	..	..	..	2	1	..	..	8	4.9	..	
Bagalkot . . .	39	42	56.0	..	..	..	3	1	1	..	11	14.7	..	
Mangalore . . .	153	75	25.5	..	..	..	1	6	..	..	32	10.9	1	
Gadag Betigere . . .	73	83	59.1	..	..	..	5	..	2	..	28	19.9	1	
Hubli†														
TOTAL	2,506	1,096	22.7	..	1	..	66	84	51	1	558	11.6	15	
Orissa														
Berhampur . . .	81	40	25.7	..	..	..	4	5	2	..	19	12.2	4	
Cuttack . . .	129	91	36.7	..	1	..	10	12	10	..	65	26.2	8	
Puri . . .	56	63	58.5	..	..	..	12	29	2	..	60	55.7	15	
TOTAL	266	194	37.9	..	1	..	26	46	14	..	144	28.1	27	
Pondicherry . . .	68	94	71.9	..	..	..	2	1	2	1	13	9.9	7	
Punjab														
Ambala . . .	62	41	34.5	..	..	..	4	4	3	..	18	15.1	4	
Amritsar . . .	359	317	46.0	..	..	..	..	6	24	..	80	11.6	25	
Batala . . .	66	23	18.2	..	..	..	3	..	3	..	9	7.1	2	
Bhiwani . . .	59	64	56.5	..	..	..	1	4	1	..	11	9.7	3	
Ferozepur . . .	47	24	26.6	..	..	..	1	3	3	..	10	11.1	..	
Hissar . . .	41	45	57.3	..	..	..	2	2	1	..	11	14.0	3	
Hoshiarpur . . .	54	31	29.9	..	..	..	6	1	..	..	11	10.6	5	
Jullundur . . .	230	122	27.7	..	..	..	21	4	2	..	34	7.7	11	
Karnal . . .	83	24	15.1	..	..	..	8	1	1	..	13	8.2	2	
Ludhlana . . .	194	158	42.5	..	..	..	12	..	10	..	45	12.1	19	
Moga . . .	45	31	35.9	..	..	..	3	1	..	..	6	7.0	3	
Panipat . . .	72	33	23.9	..	..	..	8	1	1	..	12	8.7	6	
Pathankot . . .	36	22	31.9	..	..	..	2	..	1	..	3	4.3	1	
Rewari . . .	40	49	63.9	..	..	..	1	..	1	..	10	13.0	3	
Rohtak . . .	96	56	30.4	..	..	..	5	2	..	..	18	9.8	8	
Simla . . .	53	42	41.3	..	..	..	..	..	3	..	4	3.9	1	
Sonepat . . .	36	44	63.8	..	..	..	8	..	1	..	9	13.0	4	
Bhatinda . . .	45	18	20.9	..	..	..	4	..	1	..	7	8.1	2	
Malerkotla . . .	35	21	31.3	..	..	..	5	..	..	..	6	8.9	..	
Patiala . . .	125	16	6.7	..	..	..	23	2	3	..	46	19.1	16	
TOTAL	1,778	1181	34.5	..	..	..	117	31	59	..	363	10.6	116	

\* In cases of towns where there has been an abnormal movement in population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of Symbols used:—B. = Births; B.R. = Birth Rate; C. = Cholera; S. = Smallpox; P. = Plague; F. = Fevers; D.D. = Dysentery and Diarrhoea; R.D. = Respiratory Diseases; M.D. = Maternal Deaths; D.R. = Death Rate; I.D. = Infantile Deaths (Included in total deaths); .. = Nil Information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 30th August, 1958—*contd.*

Town	Mid.-year Popu.-Est. (000)	B.	B.R.*	Deaths from—									Total	D.R.*	I.D.
				C.	S.	P.	F.	D.D.	R.D.	M.D.					
Rajasthan															
Ajmer . . .	244	93	19.8	..	..	..	6	4	4	—	40	8.5	12		
Alwar†															
Beawar†															
Bharatpur†															
Bikaner†															
Churu†															
Ganganagar†															
Jaipur†															
Jodhpur†															
Kota†															
Sikar†															
Tonk†															
Udaipur†															
TOTAL . . .	244	93	19.8	..	..	..	6	4	4	..	40	8.5	12		
Uttar Pradesh															
Agra . . .	404	400	51.5	..	..	..	1	..	52	..	88	11.3	28		
Allahabad†															
Amroha . . .	61	64	54.6	..	..	..	4	3	1	..	32	27.3	12		
Bahraich†															
Banaras†															
Banda†															
Barilly . . .	206	100	25.2	..	..	..	9	12	5	1	39	9.8	6		
Basti†															
Ballia†															
Bijnor†															
Budaun . . .	55	50	47.3	..	..	..	7	1	2	..	20	19.0	7		
Bulandshahr . . .	45	4	4.6	..	..	..	3	..	..	..	3	3.5	..		
Chandausi . . .	44	39	46.1	..	..	..	1	2	3	..	19	22.5	13		
Dehra Dun . . .	186	103	28.8	..	..	..	5	3	8	..	38	10.6	10		
Etawah†															
Faizabad-Ayodhya†															
Farukhabad-Fatehgarh . . .	78	34	22.7	..	..	..	6	5	2	..	17	11.3	7		
Firozabad . . .	93	86	48.2	..	..	..	5	..	..	..	8	4.5	2		
Ghaziipur . . .	45	26	30.0	..	..	..	8	..	1	..	11	12.7	1		
Ghaziabad . . .	68	37	28.3	..	..	..	3	2	1	..	11	8.4	4		
Gonda . . .	35	17	25.3	..	..	..	..	..	..	..	2	3.0	2		
Gorakhpur . . .	150	100	34.7	..	..	..	9	7	8	..	36	12.5	6		
Hapur . . .	65	32	25.6	..	..	..	7	1	1	..	11	8.8	4		
Hardwar . . .	73	37	26.4	..	..	..	7	2	4	..	29	20.7	14		
Hathras . . .	65	50	40.0	..	..	..	7	2	1	..	29	23.2	11		
Jaunpur . . .	59	25	22.0	..	..	..	5	..	2	..	10	8.8	1		
Jhansi . . .	132	71	28.0	..	..	..	22	2	..	..	29	11.4	4		
Kanpur . . .	810	440	28.2	..	..	..	69	18	53	..	226	14.5	102		
Kaiganj . . .	34	8	12.2	..	..	..	2	..	..	..	3	4.6	1		
Khurja . . .	41	24	30.4	..	..	..	7	2	1	..	15	19.1	4		
Koil Aligarh . . .	167	56	17.4	..	..	..	4	6	1	..	16	5.0	4		
Lucknow†															
Mathura . . .	118	96	42.3	..	..	..	6	1	3	1	16	7.1	1		
Mau-Nath Bhanjan †															
Meerut . . .	198	117	30.7	..	..	..	12	2	2	..	29	7.6	10		
Mirzapur-Vindhayachal†															
Moradabad . . .	165	180	56.7	..	..	..	26	11	5	..	70	22.1	23		
Muzaffarnagar . . .	81	59	37.9	..	..	..	10	..	1	..	17	10.9	6		
Pilibhit†															
Rampur†															
Saharanpur . . .	178	121	35.4	..	..	..	43	1	1	..	54	15.8	14		
Sambhal†															
Sitapur . . .	52	17	17.0	..	..	..	4	1	..	..	10	10.0	2		
Shahjahanpur†															
TOTAL . . .	3,708	23,93	33.6	..	..	..	292	84	158	2	888	12.5	299		

\*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of Symbols used :—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); ..—Nil information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 30th August, 1958—*contd.*

Deaths from :—

Towns	Mid-year Popn Est. (000)	B.	B.R.*	C	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
ARREAR INFORMATION													
Andhra Pradesh		w/e 23-8-58											
Adoni	72	41	29.6	..	..	..	2	1	..	..	10	7.2	3
Anantpur	42	35	43.3	..	..	..	..	1	2	..	7	8.7	1
Anakapalli	51	43	43.8	..	..	..	4	..	1	1	20	20.4	3
Bhimavaram	41	25	31.7	..	..	..	3	2	..	..	8	10.1	1
Chirala	48	17	18.4	..	..	..	3	1	..	..	10	10.8	3
Chittoor†													
Cuddapah	46	35	39.6	..	..	..	2	3	1	..	12	13.6	2
Ellore	108	54	26.0	..	..	..	5	3	1	..	25	12.0	3
Gudivada	40	35	45.5	..	..	..	3	1	..	1	17	22.1	8
Guntur†													
Guntakal	43	32	38.7	..	..	..	1	..	1	..	7	8.5	1
Kakinada	123	39	16.5	..	..	..	5	1	1	..	28	11.8	6
Kurnool †													
Masulipatnam	95	43	23.5	..	..	..	4	2	2	..	19	10.4	3
Nandyal	40	38	49.4	..	..	..	2	1	..	..	21	27.3	3
Nellore	107	104	50.5	..	..	..	7	1	6	1	43	20.9	12
Proddutur†													
Rajahmundry	137	69	26.2	..	..	..	5	1	1	..	21	8.0	4
Tenali†													
Vijayawada	253	152	31.2	..	..	..	21	7	6	..	90	18.5	27
Visakhapatnam	148	92	32.3	..	1	..	8	8	13	..	52	18.3	6
Vizianagaram	81	51	32.7	..	..	..	4	5	..	..	28	18.0	3
Hyderabad	1,291	608	24.5	..	..	..	23	11	27	1	149	6.0	14
Warrangal	173	69	20.7	..	..	..	8	1	3	..	33	9.9	..
Nizamabad	81	14	9.0	..	..	..	2	3	1	..	10	6.4	..
Kothagudiam	80	71	46.1	..	..	..	1	11	..	..	45	29.2	12
Secunderabad	192	165	44.7	..	..	..	3	4	8	..	48	13.0	15
Total	3,286	1,832	29.0	..	1	..	116	68	74	4	703	11.1	130
Bihar		w/e 23-8-58											
Arrah	74	24	16.9	..	..	..	9	..	1	..	13	9.1	..
Bettiah†													
Bhagalpur	133	22	8.6	..	..	..	1	..	..	..	29	11.3	..
Bihar	70	41	30.5	..	..	..	..	1	..	..	4	3.0	..
Chapra	72	48	34.7	17	..	..	2	1	..	..	30	21.7	3
Darbhanga	98	20	10.6	..	..	..	1	..	..	..	6	3.2	..
Dhanbad	48	13	14.1	..	..	..	..	..	1	..	7	7.6	..
Dinapur	45	3	3.5	..	..	..	1	..	..	..	3	3.5	..
Gaya	159	96	31.4	..	1	..	27	6	18	1	89	29.1	4
Hazaribagh	42	13	16.1	..	..	..	5	1	..	..	12	14.9	1
Jamalpur	48	10	10.8	..	..	..	..	..	..	..	1	1.1	..
Jamshedpur	266	113	22.1	..	..	..	2	3	2	..	19	3.7	8
Katihar	60	8	6.9	..	..	..	..	..	..	..	..	..	..
Monghyr†													
Muzaffarpur	92	25	14.1	..	..	..	4	3	..	..	22	12.4	..
Patna	371	155	21.7	..	1	..	6	1	1	..	39	5.5	..
Ranchi	157	25	8.3	1	2	..	10	..	..	..	26	8.6	7
TOTAL	1,735	616	18.5	18	4	..	68	16	23	1	300	9.0	23

\*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used:—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); ..—Nil information.



Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 30th August, 1958—concl'd.

## Deaths from —

Town	Mid.-year Popn. Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
<b>Kerala</b>													
<i>w/e 23-8-58</i>													
Alleppey†													
Changanacherry . .	44	24	28.4	..	..	..	1	1	3	2	12	14.2	1
Kottayam . . . .	55	4	3.8	..	..	..	..	..	3	2	14	13.3	2
Ernakulam . . . .	77	56	37.8	..	..	..	..	..	..	..	18	12.2	1
Mattancherry . .	94	20	11.1	..	..	..	..	..	1	..	20	11.1	4
Quilon . . . . .	82	6	3.8	..	..	..	..	6	..	..	21	13.3	4
Trichur . . . . .	80	..	..	..	..	..	..	..	..	..	7	4.5	..
Trivandrum . . .	247	57	12.0	..	..	..	1	..	1	..	7	1.2	..
Kozhikode †													
Palghat . . . . .	82	47	29.8	..	..	..	..	..	1	2	23	14.6	7
Cannanore†													
Tellicherry . . .	43	53	64.1	..	..	..	..	1	2	1	14	16.9	3
Cochin . . . . .	33	40	63.0	..	..	..	1	..	..	..	13	20.5	7
TOTAL . . . . .	1,268	307	12.6	..	..	..	3	8	11	7	149	6.1	29
<i>w/e 16-8-1958</i>													
Alleppey . . . . .	155	57	15.2	..	..	..	1	..	2	..	14	3.7	2
Changanacherry . .	44	51	60.3	..	..	..	2	2	4	..	17	20.1	3
Kottayam . . . . .	55	33	31.2	..	..	..	..	..	..	..	8	7.6	..
Ernakulam . . . . .	77	74	50.0	..	..	..	1	1	1	..	13	8.8	1
Mattancherry . . .	94	18	9.9	..	..	..	..	1	..	..	10	5.5	..
Quilon . . . . .	82	9	5.7	..	..	..	..	5	1	..	21	13.3	2
Trichur . . . . .	80	71	46.2	..	..	..	1	1	1	..	7	4.5	..
Trivandrum . . . .	247	165	34.7	..	..	..	3	4	5	..	32	6.7	4
Kozhikode . . . . .	187	183	50.9	..	..	..	7	4	12	2	64	17.8	16
Palghat . . . . .	82	71	45.0	..	..	..	1	5	2	..	38	24.1	7
Cannanore . . . . .	49	50	53.1	..	..	..	2	..	5	..	26	27.6	2
Tellicherry . . . .	43	22	26.6	..	..	..	..	1	..	2	8	9.7	2
Cochin . . . . .	33	34	53.6	..	..	..	1	1	2	..	12	18.9	3
TOTAL . . . . .	1,268	838	34.4	..	..	..	19	25	35	4	270	11.1	42

\*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used.—B.=Births; B.R.=Birth Rate; C.=Cholera; S.=Smallpox; P.=Plague; F.=Fevers; D.D.=Dysentery and Diarrhoea; R.D.=Respiratory Diseases; M.D.=Maternal Deaths; D.R.=Death Rate; I.D.=Infantile Deaths (included in total deaths); ..=Nil information.

## REMARKS

The figures of births and deaths shown in this statement for week ending 30th August, 1958 relate to 104 towns from the states of Madras, Mysore, Orissa, Pondicherry, Punjab, Rajasthan and Uttar Pradesh with a population coverage of 14,182 thousands out of a total population of 46,461 in 320 towns of the country. The number of births and deaths recorded in these towns were 9,658 and 3,568 registering birth

and death rates of 35.4 and 13.1 per thousand of population respectively.

The town of Puri in Orissa State recorded a high death rate of 55.7 per thousand of population. The following table gives the registered rates for the different States:—

States	Current w/e 30-8-58		Corresponding w/e last year	
	B.R.	D.R.	B.R.	D.R.
Madras . . . . .	42.7	14.5	39.8	19.7
Mysore . . . . .	22.7	11.6	26.2	8.7
Orissa . . . . .	37.9	28.1	41.4	34.4
Pondicherry . . . . .	71.9	9.9	67.1	24.9
Punjab . . . . .	34.5	10.6	38.8	8.9
Rajasthan . . . . .	19.8	8.5	16.0	9.3
Uttar Pradesh . . . . .	33.6	12.5	33.5	15.9

NEW DELHI-2 (INDIA) ;

The 22nd August, 1958.

H. R. SHARMA,  
for Registrar General, India.